JOURNAL OF ALLOYS AND COMPOUNDS VOLUMES 209, NUMBERS 1–2, JULY 1994

Contents

Synthesis of Cr_7C_3 and Cr_3C_2 by mechanical alloying L1
L. Li and J. Tang (New Orleans, LA, USA)

Effect of transition element substitution on the amorphization temperature in the $ErCo_2$ C15 Laves compound L5
Y.-J. Yong and J.-Y. Lee (Taejon, South Korea)

Hydrothermal crystallization of $NaZr_2(PO_4)_3$ in F^- medium L9
H. Wang and W. Pang (Changchun, China)

Magnetic properties of $CeAlO_3$ L11
T. Shishido, H. Iwasaki, N. Toyota (Sendai-shi, Japan), M. Tanaka (Ibaraki, Japan), H. Horiuchi, S. Nojima (Tokyo, Japan), S. Nakagawa and T. Fukuda (Sendai-shi, Japan)

Bonding and brittleness in B2-type FeAl L15
C.G. Meng (Dalian, China), G. Lu, J.T. Guo and Z.Q. Hu (Shenyang, China)

$K(Mg_{2,61}Cu_{0,39})Cu(AsO_4)_3$: Eine weitere Verbindung mit Johilleritstruktur L19
D. Osterloh and Hk. Müller-Buschbaum (Kiel, Deutschland)

Semi-empirical equations for pressure–composition–temperature curves of the Ti–H system L23
S. Fukada and M. Nishikawa (Fukuoka, Japan)

Location of oxygen in the structure of the Chevrel phase $Cu_{1.8}Mo_6S_{8-x}O_x$ L29
R. Černý, K. Yvon (Geneva, Switzerland), M. Wakihara (Tokyo, Japan) and P. Fischer (Villigen, Switzerland)

Magnetic behaviour of $R_2Co_7B_3$ compounds ($R \equiv Ho,Er,Tm$) L33
E. Burzo, C. Gusa, B. Kevorkian and T. Veres (Cluj-Napoca, Romania)

Luminescence of materials based on $LuTaO_4$ 1
G. Blasse, G.J. Dirksen (Utrecht, Netherlands), L.H. Brixner and M.K. Crawford (Wilmington, DE, USA)

Preparation and characterization of amorphous and crystalline $LaNi_5$ thin film electrodes 7
Y. Li, Y.-T. Cheng and M. Ahsan Habib (Warren, MI, USA)

Calculations of valence stabilities for the lanthanide metals 15
J. Melsen (Leiden, Netherlands), J.M. Wills (Los Alamos, NM, USA), B. Johansson and O. Eriksson (Uppsala, Sweden)

The solid combustion synthesis of small $REBa_2Cu_3O_x$ samples ($RE \equiv Y$, Er) 25
B. Rupp, J. Wong, J. Birch Holt and P. Waide (Livermore, CA, USA)

The taming of palladium: the influence of cerium additions on the magnetic and transport properties of palladium in the composition range of 5 to 16.7 at.% Ce 35
H. Takeya (Ibaraki-ken, Japan), K.A. Gschneidner, Jr., B.J. Beaudry, T. Ellis and V.K. Pecharsky (Ames, IA, USA)

U doping study of U-based heavy fermions: UCu_4Pd and $UCu_{3.5}Pd_{1.5}$ 43
B. Andraka (Gainesville, FL, USA)

Structural chemistry and magnetism of dicyclopentadienidehalides of lanthanides
Part 8: terbiumdicyclopentadienidebromide $[Tb(C_5H_5)_2Br]_2$ 49
J. Schmitz, H. Schilder and H. Lueken (Aachen, Germany)

A simple approach to materials design: role played by an ionic–covalent parameter based on polarizing power and electronegativity 59
J. Portier, G. Campet, J. Etourneau, M.C.R. Shastry and B. Tanguy (Talence, France)

Oxygen analysis for high-T_c copper oxides: an alternative method for the determination of solid solution limits 65
X. Chen, J. Liang, C. Wang, W. Yuan, X. Xing and Z. Qiao (Beijing, People's Republic of China)

Thermally assisted solid state amorphization in rod-milled $Al_{50}Hf_{50}$ composite 71
M. Sherif El-Eskandarany (Cairo, Egypt), K. Aoki, T. Masumoto and K. Suzuki (Sendai, Japan)

Thermodynamic behaviour of metallic melts at high dilution according to the associated solution model 81
R. Lbibb, M. Gilbert and R. Castanet (Marseille, France)

In situ X-ray diffraction: a useful tool to investigate hydride formation reactions 85
P.H.L. Notten, J.L.C. Daams, A.E.M. De Veirman and A.A. Staals (Eindhoven, Netherlands)

Elsevier Science S.A.

Phase transitions in intermetallic compounds of CrB-type structure during hydrogen sorption 93
I.E. Nemirovskaya and V.V. Lunin (Moscow, Russian Federation)

Effects of pretreatment on the activation behavior of $Zr(V_{0.25}Ni_{0.75})_2$ metal hydride electrodes in alkaline solution 99
A. Züttel, F. Meli and L. Schlapbach (Fribourg, Switzerland)

New ternary holmium–ruthenium–germanides: HoRuGe and $Ho_3Ru_2Ge_3$ 107
O.L. Sologub, Yu.M. Prots', P.S. Salamakha and O.I. Bodak (L'viv, Ukraine)

Hydrogen in the A15 compound V_3Ga: ^{51}V and ^{1}H nuclear magnetic resonance study 111
A.V. Skripov, Yu.G. Cherepanov (Ekaterinburg, Russian Federation) and H. Wipf (Darmstadt, Germany)

Hydride formation in Mg–$ZrFe_{1.4}Cr_{0.6}$ composite material 117
Y. Zhou, L.C. Erickson and B. Hjörvarsson (Uppsala, Sweden)

A study of the effects of heat treatment on the microstructures and magnetic properties of Cu-added Nd–Fe–B type sintered magnets 125
O.M. Ragg and I.R. Harris (Birmingham, UK)

Structure and magnetic properties of TbMnGa 135
M. Bacmann, D. Fruchart, J.L. Soubeyroux (Grenoble, France), J.H.V.J. Brabers, F.R. de Boer (Amsterdam, Netherlands) and K.H.J. Buschow (Eindhoven, Netherlands)

Non-locally derivable sublattices in quasi-lattices. 139
R. Lück and K. Lu (Shenyang, China)

Modulated crystal structure of $K_4(NbO)_2[Si_8O_{21}]$. 145
R.K. Rastsvetaeva, D.Yu. Pushcharovsky, N.B. Bolotina, T.N. Nadejina and O.V. Dimitrova (Moscow, Russian Federation)

Syntheses and crystal structures of Tl_5Se_2Cl and Tl_5Se_2Br 151
Th. Doert (Düsseldorf, Germany), R. Asmuth (Krefeld, Germany) and P. Böttcher (Dresden, Germany)

Electronic structure of lithium-based antiperovskite hydrides 159
E. Orgaz and M. Gupta (Orsay, France)

Coarsening of TiC particles in a rapidly solidified Ti6Al4V–TiC composite. 167
D. Hu and M.H. Loretto (Birmingham, UK)

Preparation of vanadium nitride and its subsequent metallization by thermal decomposition 175
P.K. Tripathy, A. Arya and D.K. Bose (Bombay, India)

Solid solutions of silicon in boron-carbide-type crystals 181
H. Werheit, U. Kuhlmann, M. Laux (Duisburg, Germany) and R. Telle (Aachen, Germany)

Zur Kenntnis eines Strontium–Oxoniccolats(IV): $Sr_{12}Ni_{7.5}O_{27}$ 189
M. Strunk und Hk. Müller-Buschbaum (Kiel, Deutschland)

Determination of standard molar Gibbs' energy of formation of Sr_3MoO_6(s). 193
Z. Singh, R. Prasad, S. Dash and D.D. Sood (Bombay, India)

Thermodynamic properties of Zn in Te-saturated ZnSe–ZnTe solid solutions 197
A. Nasar (Varanasi, India)

Combustion synthesis and properties of $Ln_3Fe_5O_{12}$ and yttrium aluminium garnets. 203
K. Suresh and K.C. Patil (Bangalore, India)

Sublimation study of tellurium tetrachloride and tetraiodide from their vapour pressure measurements. 207
L. D'Alessio (Potenza, Italy), D. Ferro and V. Piacente (Rome, Italy)

$Ba_3Ir_2H_{12}$, a new ternary hydride containing octahedral $[IrH_6]^{3-}$ complex anions 213
K. Kadir and D. Noréus (Stockholm, Sweden)

Magnetic structure of $Dy_2Cr_2C_3$ 217
M. Reehuis (Grenoble, France), K. Zeppenfeld, W. Jeitschko (Münster, Germany) and E. Ressouche (Grenoble, France)

Magnetic hardening of mechanically milled $Sm_2Fe_{14}Ga_3C_2$ 221
J. Ding (Nedlands, W.A., Australia), B. Shen (Beijing, China), P.G. McCormick, R. Street (Nedlands, W.A., Australia) and F. Wang (Beijing, China)

Preparation and superconducting properties of high-quality Bi-2212 ceramics 225
T. Tsukamoto (Toyota, Japan), G. Triscone, J.-Y. Genoud, K.-Q. Wang, E. Janod, A. Junod and J. Muller (Geneva, Switzerland)

Magnetic properties of amorphous Y–Fe–N thin films 231
D. Courtois, J.P. Nozières and D. Givord (Grenoble, France)

A stable Nd–Fe–O ternary compound in $Nd_{34}Fe_{60}O_6$ alloy 235
N. Wang, Z. Chen, X. Song and X. Wang (Xian, People's Republic of China)

Ein neuer Strukturtyp eines Halogenoxoruthenats mit geordneter Ru(IV)–Ru(V)-Verteilung: $Ba_5Ru_2O_9Cl$ 239
M. Rath und Hk. Müller-Buschbaum (Kiel, Deutschland)

Magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ compounds ($x = 0$–0.5) 245
W.Z. Li, N. Tang, X.P. Zhong, J.L. Wang, Y.H. Gao, F. Yang and Y.W. Zeng (Beijing, China)

Crystal structures and physical properties of some new ternary compounds U_2T_3X ($T \equiv$ Ru, Os; $X \equiv$ Si, Ge) 251
A. Vernière, P. Lejay, P. Bordet, J. Chenavas, J.P. Brison, P. Haen and J.X. Boucherle (Grenoble, France)

Catalytic effects of alloy surface on the oxygen consumption reaction in a sealed Ni/TiNiH battery 257
D.-Y. Yan (Tokyo, Japan)

Investigation of the Np–Zr and U–Zr–Np systems 263
R. Julián Rodríguez, C. Sari (Karlsruhe, Germany) and A.J. Criado Portal (Madrid, Spain)

Lithium intercalation into double rare earth chromates 269
P. Melnikov (Araraquara, SP, Brazil)

Magnetic properties of $TlLnS_2$ compounds ($Ln \equiv$ Nd, Gd, Dy, Er and Yb) 271
M. Duczmal and L. Pawlak (Wrocław, Poland)

Microstructures of Mg–Zn–Zr–RE alloys with high RE and low Zn contents 275
Z. Luo, S. Zhang (Beijing, People's Republic of China), Y. Tang and D. Zhao (Zhengzhou, People's Republic of China)

Annealing of aluminium oxide coatings on iridium-coated isotropic graphite at high temperature in argon atmosphere 279
K. Mumtaz, J. Echigoya, H. Enoki, T. Hirai and Y. Shindo (Sendai, Japan)

A simple model for the estimation of electronegativities of cations in different electronic states and coordinations 285
J. Portier, G. Campet, J. Etourneau and B. Tanguy (Talence, France)

Crystal structure and superconductivity of high pressure hydrides and deuterides of HfRu and ZrRu compounds 291
V.E. Antonov, E.L. Bokhenkov, A.I. Latynin, V.I. Rashupkin (Moscow, Russian Federation), B. Dorner (Grenoble, France), M. Baier and F.E. Wagner (Garching, Germany)

Magnetic properties and structure of hydrogenated Nd–Fe alloys 299
V.P. Menushenkov, A.M. Gabay, A.S. Lileev, E.V. Obrucheva and B.V. Jalnin (Moscow, Russian Federation)

The conductivity of $MnAs_{1-x}Sb_x$ and $Cr_yMn_{1-y}Sb$ single crystals 305
V. Dankelmann, H. Kohnke (Göttingen, Germany), J.-W. Schünemann (Katlenburg-Lindau, Germany), K. Bärner (Göttingen, Germany), S. Buzhinsky (Donetsk, Ukraine) and I.V. Medvedeva (Ekaterinburg, Russian Federation)

The aluminum–zinc phase diagram under high pressure. 311
Y. Fujinaga and T. Sato (Sendai, Japan)

Growth of niobium nitrides by nitrogen–niobium reaction at high temperature 319
R. Musenich, P. Fabbricatore, G. Gemme, R. Parodi, M. Viviani, B. Zhang, V. Buscaglia and C. Bottino (Genoa, Italy)

Elastic behaviour of Bi–Pb–Ag–Ca_2CuO_3 superconducting composite materials. 329
S. Satyavathi, M. Muralidhar, V. Hari Babu, R. Ravinder Reddy and P. Venugopal Reddy (Hyderabad, India)

Electrical resistivity of the $Gd(Al_{1-x}M_x)_2$ compounds for $M \equiv$ In, Ga, Pd, Sn, Si and Ge 337
G. Chełkowska (Katowice, Poland)

Formation and stability of Al–Nd and Al–Nd–Fe metallic glasses 341
L. Battezzati, M. Baricco and C. Antonione (Turin, Italy)

A mathematical and experimental dynamical phase diagram for ball-milled $Ni_{10}Zr_7$ 351
M. Abdellaoui and E. Gaffet (Belfort, France)

Effect of niobium addition on the Nd–Fe–B alloy and magnet 363
F.M. Ahmed, D.S. Edgley and I.R. Harris (Birmingham, UK)

Author Index of Volume 209 369
Subject Index of Volume 209 371

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.